

THE INSECT PEST SURVEY BULLETIN.

A monthly review of entomological conditions throughout the United States.

Volume 1.

Index.

BUREAU OF ENTOMOLOGY
UNITED STATES
DEPARTMENT OF AGRICULTURE
AND
THE STATE ENTOMOLOGICAL
AGENCIES COOPERATING.

INDEX TO INSECT PEST SURVEY BULLETIN

VOLUME I, 1921

In the following index to Volume I of the Insect Pest Survey Bulletin, all technical names are underlined. Parentheses enclosing names of describers, to indicate reference of a species to the indicated genus subsequent to the description of that species, have been omitted. For convenience of reference, common names have been included in the index, but citations in these cases are only indicated by cross reference to the technical names.

It is hoped that the common names used by the Survey will be accepted by all working entomologists, and eventually adopted by the American Association of Economic Entomologists. We wish particularly to urge upon our collaborators the use of these common names already accepted by the Association and which should be considered as official names by all American Economic Entomologists. Dr. W. E. Hooker, who for many years, has reviewed the literature on Economic Entomology for the Experiment Station Record, suggests the plan followed in this index, of indicating these common names approved by the American Association of Economic Entomologists by affixing the letters, a. n. o. (americano nomina officinale) and in this way directing attention to the desirability of using these approved names.

The Entomologist in charge of the Insect Pest Survey here wishes to acknowledge the assistance he has received throughout the year, and particularly, in preparing this index, from the following taxonomists working in the United States National Museum: Mr. E. A. Schwarz, Dr. H. G. Dyar, Dr. Carl Heinrich, Dr. J. M. Aldrich, Dr. H. E. Ewing, Mr. A. N. Caudell, Mr. S. A. Rohwer, Mr. R. A. Cushman, and Mr. A. B. Gahan.

INDEX TO INSECT PEST SURVEY BULLETIN

VOLUME 1, 1921.

<u>A</u>	No.	Page.
Abbott's white pine sawfly, see <u>Lophyrus abbottii</u> Leach.		
Abbreviated wireworm, see <u>Cryptohypnus abbreviatus</u> Say.		
Achemon sphinx, see <u>Pholus achemon</u> Drury.		
<u>Aclerda</u> sp. -----	2	60
<u>Acridiidae</u> -----	2	42
	3	92
	4	153
	5	193, 221
	6	233
<u>Acrobasis hebescella</u> Hulst. -----	2	55
	6	245
<u>Acrobasis nebulella</u> Riley, see <u>Mineola nebulella</u> Riley.		
<u>Adalia bipunctata</u> L. -----	1	23
	2	64
<u>Adelges abietis</u> Kalt. -----	2	70
	3	131
	6	250
<u>Aedes abfitchii</u> Felt -----	2	76
<u>Aedes canadensis</u> Theob. -----	2	76
<u>Aegeria exitiosa</u> Say. -----	1	23
	2	55
	3	106
	5	200
	6	244
	7	275
<u>Aegeria pictipes</u> G. & R. -----	2	55
	3	106
	5	200
	6	244
<u>Aegeria pyri</u> Harris. -----	4	160
<u>Agallia sanguinolenta</u> Prov. -----	1	9
	3	86
	4	154
<u>Agonoderus pallipes</u> Fab. -----	4	152
<u>Agrilus anxius</u> Gory -----	2	71
	4	181
<u>Agrilus ruficollis</u> Fab. -----	3	112
<u>Agriolimax agrestis</u> L. -----	1	30
	2	43, 74
	3	117, 125
	6	255
<u>Agriotes mancus</u> Say -----	3	90
	4	154, 170

<u>Agromyza parvicornis</u> Loew.	-----	3	86
<u>Agrotis c-nigrum</u> L.	-----	4	148
<u>Alabama argillacea</u> Hubn.	-----	5	220
		6	245, 252
		7	279
<u>Alcaeorrhynchus grandis</u> Dall.	-----	5	212
Alder blight,	see <u>Prociphilus tessellatus</u> Fitch.		
Alfalfa caterpillar	see <u>Eurymus eurythema</u> Boisd.		
Alfalfa gall midge	see <u>Asphondylia websteri</u> Felt.		
Alfalfa leaf weevil, a.n.o.	see <u>Phytonomus posticus</u> Gyll.		
Alfalfa webworm	see <u>Loxostege commixtalis</u> Walk.		
<u>Alsophila pometaria</u> Harr.	-----	1	20
		2	49, 73
		3	99, 136
		4	178
<u>Altica</u> , see <u>Haltica</u>			
<u>Alypia octomaculata</u> Fab.	-----	3	114
		5	202
American dog tick,	see <u>Dermacentor variabilis</u> Say.		
American holly leaf miner,	see <u>Phytomyza obscurella</u> v. <u>ilicicola</u> Loew.		
<u>Anabrus simplex</u> Hald.	-----	5	188
<u>Anarsia lineatella</u> Zell.	-----	3	106
		4	160
		7	276
<u>Anasa tristis</u> DeG.	-----	4	175
		5	210
		6	239
<u>Ancylis angulifasciana</u> Zell.	-----	2	42
<u>Ancylis comptana</u> Froehl.	-----	2	68
		3	124
		4	173
		5	207
<u>Andricus seminator</u> Harr.	-----	3	134
<u>Anisandrus pyri</u> Peck.	-----	2	53
<u>Anisota rubicunda</u> Fab.	-----	2	70
		4	178
		7	281
Angoumois grain-moth, a.n.o.,	see <u>Sitotroga cerealella</u> Oliv.		
<u>Anopheles punctipennis</u> Say.	-----	2	76
<u>Anopheles walkeri</u> Theob.	-----	5	225
<u>Anthonomus grandis</u> Boh.	-----	1	14 ✓
		3	117 ✓
		4	165 ✓
		5	219 ✓
		6	252 ✓
		7	279 ✓

	No.	Page.
<u>Anthonomus signatus</u> Say	1	30
	2	67
	3	124
	6	237
<u>Anticarsia gemmatilis</u> Hubn.	5	193
	6	233
Ants, see Formicidae.		
<u>Anuraphis bakeri</u> Cowan	3	89
	5	192
<u>Anuraphis maidi-radicis</u> Forbes	3	91, 117
<u>Anuraphis persicae-niger</u> Smith	1	23
	2	54
	3	105
	4	160
<u>Anuraphis roseus</u> Baker	1	17
	2	46
	3	95
	4	156
	6	240
<u>Apanteles glomeratus</u> L.	5	206
<u>Apatela</u> sp.	4	57
	6	249
<u>Aphis brassicae</u> L., see <u>Brevicoryne brassicae</u> L.		
<u>Aphis forbesi</u> Weed	3	125
<u>Aphis gossypii</u> Glov.	1	31
	2	60, 67
	3	128
	4	175
	5	210, 220
	6	238
	7	273
<u>Aphis helianthi</u> Mon.	3	139
<u>Aphis houghtonensis</u> Troop	4	163
<u>Aphis maidis</u> Fitch	3	91
<u>Aphis mali</u> , see <u>Aphis pomi</u> DeG.		
<u>Aphis pomi</u> DeG.	1	15, 17
	2	46
	3	94
	4	156
	5	195
	6	240
	7	274
<u>Aphis pseudobrassicae</u> Davis	2	69
	7	271
<u>Aphis rumicis</u> L.	3	138
	6	238
	7	273
<u>Aphis spiraecola</u> Patch	3	139



Digitized by the Internet Archive
in 2013

<http://archive.org/details/insect01unit>

Apple and thorn skeletonizer, see <u>Hemerophila pariana</u> Clerck.		
Apple aphid, a.n.o., see <u>Aphis pomi</u> DeG.		
Apple dagger-moth, see <u>Apatela</u> sp.		
Apple flea-weev il, see <u>Orchestes pallicornis</u> Say.		
Apple-grain aphid, see <u>Ehopalosiphum prunifoliae</u> Fitch.		
Apple leafhopper, a.n.o., see <u>Empoasca mali</u> LeB.		
Apple-leaf skeletonizer, a.n.o., see <u>Canarsia hammondi</u> Riley.		
Apple-leaf trumpet miner, a.n.o., see <u>Tischeria malifoliella</u> Clem.		
Apple maggot, a.n.o., see <u>Rhagoletis pomonella</u> Walsh.		
Apple red bug, see <u>Heterocordylus malinus</u> Reut.		
Apple seed chalcid, see <u>Syntomaspis druparum</u> Boh.		
Arborvitae leaf-miner, see <u>Argyresthia thuiella</u> Pack.		
<u>Archips argyrospila</u> Walk., see <u>Cacoecia argyrospila</u> Walk.		
<u>Archips obsoletana</u> Walk., see <u>Cacoecia obsoletana</u> Walk.		
<u>Archips rosaceana</u> Harr., see <u>Cacoecia rosaceana</u> Harr.		
<u>Argas miniatus</u> Koch - - - - -	20	78
<u>Argyresthia thuiella</u> Pack. - - - - -	1	32
	2	72
	3	134
Army worm, a.n.o., see <u>Cirphis unipuncta</u> Haw.		
<u>Artipus floridanus</u> Horn - - - - -	2	58
Ash-gray blister beetle, a.n.o., see <u>Macrobasis unicolor</u> Kirby.		
Ash midrib gall, see <u>Contarinia canadensis</u> Felt.		
Asparagus beetle, a.n.o., see <u>Crioceris asparagi</u> L.		
<u>Asphondylia websteri</u> Felt. - - - - -	4	154
<u>Aspidiotus hederæ</u> (Vallot) - - - - -	5	223
<u>Aspidiotus perniciosus</u> Comst. - - - - -	1	20
	2	51
	3	101
	4	159, 161
	6	242
	7	276
<u>Asterolecanium variolosum</u> Ratz. - - - - -	3	134
<u>Atropos divinatoria</u> Mull. - - - - -	6	256
	7	280
<u>Aulacaspis pentagona</u> Targ. - - - - -	7	284
<u>Aulacaspis rosæ</u> Douche - - - - -	2	74
	6	255
<u>Automeris io</u> Fab. - - - - -	6	255
<u>Autographa brassicae</u> Riley - - - - -	5	207
	6	237
	7	271

B.

Bagworm, a.n.o., see <u>Thyridopteryx ephemeraeformis</u> Haw.		
Baker's mealybug, see <u>Pseudococcus bakeri</u> Essig.		
<u>Balaninus caryæ</u> Horn. - - - - -	6	246
Banded black blister beetle, see <u>Macrobasis segmentata</u> Say.		
Banded flea-beetle, see <u>Systema taeniata</u> Say.		
Bean aphid, see <u>Aphis rumicis</u> L.		
Bean leaf-beetle, a.n.o., see <u>Cerotoma trifurcata</u> Forst.		
Bean weevil, a.n.o., see <u>Mylabris obtectus</u> Say.		
Bedbug, a.n.o., see <u>Cimex lectularius</u> L.		

Journal of Management Studies, 19(1), 67-80.

	No.	Page.
Beech aphid, see <u>Phyllaphis fagi</u> L.		
Belted cucumber beetle, see <u>Diabrotica balteata</u> Lec.		
<u>Bembecia marginata</u> Harr. -----	2	56
<u>Bemisia inconspicua</u> Quaint. -----	5	212
	6	238, 239
<u>Bibio nervosus</u> Loew -----	2	42
<u>Biorhiza forticornis</u> Walsh -----	3	134
Birch leaf skeletonizer, see <u>Bucculatrix canadensisella</u> Chamb.		
Blackhead cranberry worm, a.n.o., see <u>Rhopobota naevana</u> , Hübner.		
Black peach aphid, a.n.o., see <u>Anuraphis persicae-niger</u> Smith.		
Black-striped ear-fly, see <u>Chrysops vittatus</u> Wied.		
<u>Blissus leucopterus</u> Say -----	1	1
	2	35
	3	81
	4	149
	5	191
	6	229
	7	264
Blister beetles, see <u>Epicauta</u> spp. and <u>Macrobasis</u> spp.		
Blue-grass billbug, see <u>Sphenophorus parvulus</u> Gyll.		
Blue-green citrus weevil, see <u>Pachnaeus opalus</u> Oliv.		
Boll weevil, a.n.o., see <u>Anthonomus grandis</u> Boh.		
Bollworm, a.n.o., see <u>Chloridea obsoleta</u> Fab.		
Book-louse, a.n.o., see <u>Atropos divinatoria</u> Mull.		
Boxelder aphid, see <u>Periphyllus negundinis</u> Thom.		
Boxelder plant-bug, see <u>Leptocoris trivittatus</u> Say.		
Boxwood leaf-miner, see <u>Monarthropalpus buxi</u> Labou.		
<u>Brachyrhinus ovatus</u> L. -----	3	124
	4	173
<u>Brachyrhinus rugifrons</u> Gyll., -----	1	30
	2	68
Brassy flea-beetle, see <u>Chaetocnema pulicaria</u> Melsh.		
<u>Brevicoryne brassicae</u> L. -----	1	28
	3	123
	4	172
	5	206
	6	237
Bristly cutworm, see <u>Polia renigera</u> Steph.		
Bronze birch borer, see <u>Agilus anxius</u> Gory.		
Bronzed cutworm, a.n.o., see <u>Nephelodes minians</u> Guen.		
Brown colaspis, see Grape colaspis.		
Brown cotton bug, see <u>Euschistus servus</u> Say.		
Brown plum aphid, see <u>Hysteroneura setariae</u> Thom.		
Brown-tail moth, a.n.o., see <u>Euproctis chrysorrhoea</u> L.		
<u>Bruchophagus funebris</u> How. -----	5	192
<u>Bruchus</u> , see <u>Mylabris</u> .		
<u>Brvobia praetiosa</u> Koch -----	1	11
	5	199
<u>Bucculatrix canadensisella</u> Chamb. -----	6	249
<u>Bucculatrix pomifoliella</u> Clem. -----	1	18
	2	48
	3	97
Buck moth, a.n.o., see <u>Hemileuca maia</u> Drury.		

	No.	Page.
Bud moth, a.n.o., see <u>Tmetocera ocellana</u> Schif.		
Budworm, see <u>Chloridea virescens</u> Fab.		
Buffalo tree-hopper, a.n.o., see <u>Ceresa bubalus</u> Fab.		
Bumble flower beetle, see <u>Euphoria inda</u> L.		
<u>Byturus unicolor</u> Say - - - - -	1	24
	2	56
	3	111
	4	164
	5	201

C.

Cabbage aphid, a.n.o., see <u>Brevicoryne brassicae</u> L.		
Cabbage looper, a.n.o., see <u>Autographa brassicae</u> Riley.		
Cabbage maggot, a.n.o., see <u>Hylemyia brassicae</u> Bouche.		
Cabbage seed weevil, see <u>Ceutorhynchus quadridens</u> Panz.		
Cabbage webworm, a.n.o., see <u>Hellula undalis</u> Fab.		
Cabbage worm, imported, see <u>Pontia rapae</u> L.		
<u>Cacoecia argyrospila</u> Walk. - - - - -	1	18
	2	47
	3	95, 105
	4	157
	5	197
	6	240, 243, 246
<u>Cacoecia cerasivorana</u> Fitch - - - - -	3	108
<u>Cacoecia obsoletana</u> Walk. - - - - -	3	124
	5	208
<u>Cacoscia rosaceana</u> Harr. - - - - -	3	139
Cadelle, a.n.o., see <u>Tenebroides mauritanicus</u> L.		
<u>Caenurgia erectea</u> Cram. - - - - -	2	41
<u>Calaphis betulaecolens</u> Fitch. - - - - -	2	71
<u>Calendra granaria</u> L. - - - - -	6	256
<u>Caliroa cerasia</u> L. - - - - -	3	104, 108
	4	162
	5	199
<u>Camula pellucida</u> Scudder - - - - -	2	44
	4	153
Camphor scale, see <u>Pseudaonidia duplex</u> Ckll.		
<u>Canarsia hammondi</u> Riley, see <u>Psorosina hammondi</u> Riley.		
Carpenter worm, a.n.o., see <u>Prionoxystus robiniae</u> Peck.		
<u>Carpocapsa pomonella</u> L. - - - - -	1	14
	2	47
	3	96
	4	156
	5	196
	6	240, 243
	7	274

<u>Catalpa sphinx</u> , a.n.o., see <u>Ceratonia catalpae</u> Boisd.		
Cat flea, see <u>Gtenocephalus felis</u> Bouche.		
<u>Cathartus advena</u> Waltl. - - - - -	6	256
<u>Caulacampus acericulis</u> MacG. - - - - -	4	179
<u>Celama sorchiella</u> Riley - - - - -	7	266
Celery butterfly, see <u>Papilio polyxenes</u> Fab.		
<u>Cephus cinctus</u> Nort. - - - - -	4	149
<u>Cephus pygmaeus</u> L. - - - - -	4	149
<u>Ceramica picta</u> Harr. - - - - -	3	129
<u>Ceratomegilla fuscilabris</u> Muls. - - - - -	1	5, 10
<u>Ceratonia catalpae</u> Boisd. - - - - -	3	136
	4	181
	5	217
	6	250
Cercopidae - - - - -	3	112
<u>Ceresa bubalus</u> Fab. - - - - -	2	52
	3	101
	4	159
<u>Ceratomyia trifurcata</u> Foerst. - - - - -	1	29
	3	126
	5	193
	6	232
<u>Ceutorhynchus quadridens</u> Panz. - - - - -	3	123
	7	271
<u>Chaetocnema confinis</u> Cr. - - - - -	2	68
<u>Chaetocnema pulicaria</u> Melsh. - - - - -	3	91
<u>Chaitophorus aceris</u> L. - - - - -	2	70
<u>Chaitophorus lyropicta</u> Kess. - - - - -	2	70
<u>Chaitophorus negundinis</u> Thomas - - - - -	2	71
	3	133
<u>Chalcodermus aeneus</u> Boh. - - - - -	3	126
	4	165
	5	193
	6	233
	7	269
<u>Chalcoides helixines</u> L. - - - - -	3	130
<u>Chalepus dorsalis</u> Thunb. - - - - -	4	181
<u>Chermes laricis</u> Hartig - - - - -	2	72
<u>Chermes pinicorticis</u> Fitch - - - - -	1	32
Cherry aphid, a.n.o., see <u>Myzus cerasi</u> Fab.		
Cherry fruit maggot, a.n.o., see <u>Rhagoletis cingulata</u> Loew.		
Cherry tree tortrix, see <u>Cacoecia cerasivorana</u> Fitch.		
Chigger, see <u>Trombidium</u> sp.		
<u>Chilo plejadellus</u> Zinck. - - - - -	4	167
Chinch-bug, a.n.o., see <u>Blissus leucopterus</u> Say.		
Chinch-bug egg parasite, see <u>Eumicrosoma benefica</u> Gahan.		
<u>Chionaspis americana</u> John. - - - - -	4	180
	5	216
<u>Chionaspis euonymi</u> Comst. - - - - -	6	254
<u>Chionaspis furfura</u> Fitch - - - - -	3	102
<u>Chionaspis pinifoliae</u> Fitch - - - - -	3	134
	4	182
	5	217
	6	251

	No.	Page.
<u>Chloridea obsoleta</u> Fab. - - - - -	3	89, 122, 137
	4	150, 171
	5	190
	6	230
	7	262
<u>Chloridea virescens</u> Fab. - - - - -	2	59
<u>Chlorotettix unicolor</u> Fitch - - - - -	1	20
	3	101
<u>Chorizagrotis auxiliaris</u> Grote - - - - -	3	84
	4	147
<u>Chorizagrotis</u> sp. - - - - -	1	8
Chrysanthemum gall midge, see <u>Diarthronomyia hypogaea</u> F. Loew.		
<u>Chrysobothris femorata</u> Oliv. - - - - -	3	102
	5	198
<u>Chrysomphalus dictyospermi</u> Morg. - - - - -	7	278
<u>Chrysomya macellaria</u> Fab. - - - - -	3	140
	5	226
<u>Chrysops niger</u> Macq. - - - - -	2	77
<u>Chrysops obsoletus</u> Wied. - - - - -	5	224
<u>Chrysops vittatus</u> Wied. - - - - -	5	224
Cicada, see <u>Okanogana rimosa</u> Say.		
Cigar case-bearer, a.n.o., see <u>Coleophora fletcherella</u> Fern.		
<u>Cimex lectularius</u> L. - - - - -	6	255
<u>Cirphis unipuncta</u> Haw. - - - - -	1	7
	2	45
	3	90
	4	148, 151
	6	231
	7	264

C.

Citrophilus mealybug, see <u>Pseudococcus gahani</u> Green.		
Citrus mealybug, a.n.o., see <u>Pseudococcus citri</u> Risso.		
Citrus rust mite, a.n.o., see <u>Eriophyes oleivorus</u> Ashm.		
Citrus whitefly, a.n.o., see <u>Dialeurodes citri</u> Ashm.		
Clear-winged locust, see <u>Camnula pellucida</u> Scud.		
Clover aphid, see <u>Anuraphis bakeri</u> Cowan.		
Clover butterfly, see <u>Eurymus philodice</u> Godart.		
Clover leafhopper, see <u>Agallia sanguinolenta</u> Prov.		
Clover leaf-tyer, see <u>Angylis angulifasciana</u> Zell.		
Clover leaf weevil, see <u>Hypera punctata</u> Fab.		
Clover mite, a.n.o., see <u>Bryobia praetiosa</u> Koch.		
Clover root-borer a.n.o., see <u>Hylastinus obscurus</u> Marsh.		
Clover root curculio, see <u>Sitona hispidulus</u> Fab.		
Clover seed caterpillar, see <u>Enarmonia interstinctana</u> Clem.		
Clover seed chalcid, see <u>Bruchophagus funebris</u> How.		
Clover seed midge, see <u>Dasyneura leguminicola</u> Lint.		
Clover stem-borer, a.n.o., see <u>Languria mozardi</u> Latr.		
Clover tychius, see <u>Tychius picirostris</u> Fab.		
<u>Coccus hesperidum</u> L. - - - - -	5	202
Cockscomb elm-gall, see <u>Colopha ulmicola</u> Fitch.		
Coconut mealybug, a.n.o., see <u>Pseudococcus nipae</u> Mask.		

	No.	Page.
Codling moth, a.n.o., see <u>Carpocapsa pomonella</u> L.		
<u>Colaspis brunnea</u> Fab. - - - - -	2	43, 66
	3	91
	4	166
	5	208
<u>Coleophora fletcherella</u> Fernald - - - - -	1	18
	2	47
	3	97
<u>Coleophora laricella</u> Wubn. - - - - -	7	282
<u>Coleophora limosipennella</u> Dup. - - - - -	4	180
<u>Coleophora malivorella</u> Riley - - - - -	1	16
	2	48
	3	97
<u>Colopha ulmicola</u> Fitch - - - - -	3	153
Colorado corn rootworm, see <u>Diabrotica virgifera</u> Lec.		
Colorado potato beetle, a.n.o., see <u>Leptinotarsa decemlineata</u> Say.		
Columbine borer, see <u>Papaipema purpurifascia</u> G. & R.		
<u>Conotrachelus crataegi</u> Walsh - - - - -	3	104, 105
<u>Conotrachelus nemophor</u> Host. - - - - -	1	23
	2	53
	3	109
	4	161, 162
	5	200
	6	242, 244
<u>Contarinia canadensis</u> Felt - - - - -	2	71
<u>Contarinia johnsoni</u> Kling. - - - - -	3	116
<u>Contarinia pyrivora</u> Riley - - - - -	2	53
	3	104
<u>Contarinia tritici</u> Kirby - - - - -	3	86
	4	147
	5	187
<u>Coptodisca splendoriferella</u> Clem. - - - - -	7	274
Corn earworm, see <u>Bombix</u> , a.n.o.		
Corn lantern fly, see <u>Peridermus maidis</u> Ashm.		
Corn leaf aphid, see <u>Aphis maidis</u> Fitch.		
Corn-leaf blotch miner, see <u>Agropyza parvicornis</u> Loew.		
Corn root aphid, a.n.o., see <u>Anuraphis maidi-radicis</u> Forbes.		
Corn rootworm, Colorado, see <u>Diabrotica virgifera</u> Lec.		
Cornus borer, see <u>Opesia crinitotata</u> Swed.		
Corn wireworm, see <u>Melanotus communis</u> Gyll.		
<u>Cosmopepla bipunctata</u> Thos. - - - - -	4	182
	5	224
<u>Cotinis nitida</u> L. - - - - -	4	161, 164
Cotton cutworm, see <u>Prodenia ornithogalli</u> Guen.		
Cotton or melon aphid, a.n.o., see <u>Aphis gossypii</u> Glov.		
Cotton red spider, see <u>Tetranychus telarius</u> L.		
Cottonwood leaf beetle, see <u>Lema scripta</u> Fab.		
Cotton worm, see <u>Alabama argillacea</u> Wubn.		
Cottony-maple-scale, a.n.o., see <u>Pulvinaria vitis</u> L.		
Couleac cricket, see <u>Perognathus scabricollis</u> Thom.		

<u>Compea curculio</u> , see <u>Chalcodermus aeneus</u> Boh.		
<u>Crambus hortuellus</u> Hüb. - - - - -	4,	163
<u>Cranberry girdler</u> , see <u>Crambus hortuellus</u> Hüb.		
<u>Craonius inaequalis</u> Say. - - - - -	5	202
<u>Crepidodera helxines</u> L., see <u>Chalcoides helxines</u> L.		
<u>Crioceris asparagi</u> L. - - - - -	1	30
	2	66
	3	125
	4	173
	5	208
	6	238
<u>Crioceris 12-punctata</u> L. - - - - -	2	66
	3	126
<u>Cryptcephalus notatus</u> var. <u>quadrimaculatus</u> Say - - - - -	3	116
<u>Cryptohyorus abbreviatus</u> Say - - - - -	3	124
<u>Ctenocephalus canis</u> Curtis - - - - -	2	78
	4	184
	5	224
<u>Ctenocephalus felis</u> Bouché - - - - -	5	224
<u>Culiseta inornatus</u> Will. - - - - -	2	77
<u>Currant aphid</u> , a.n.o., see <u>Myzus ribis</u> L.		
<u>Currant worm</u> , imported, see <u>Pteronidea ribesi</u> Scap.		
<u>Currant worm</u> , native, see <u>Gymnonychia appendiculatus</u> Hartig.		
<u>Cutworms</u> , see Noctuidae.		
<u>Cyclamen mite</u> , see <u>Tarsonemus pallidus</u> Banks.		
<u>Cydia pomonella</u> L., see <u>Carpocapsa pomonella</u> L.		
<u>Cylas formicarius</u> Fab. - - - - -	1	29
<u>Cyllene pictus</u> (Drury), see <u>Cyllene robiniae</u> Först.		
<u>Cyllene robiniae</u> Först. - - - - -	1	33
<u>Cymatophora ribearia</u> Fitch - - - - -	4	163

D.

<u>Dark-sided cutworm</u> , see <u>Euxoa messoria</u> Harr.		
<u>Dasyneura leguminicola</u> Lint. - - - - -	2	42
	3	89
	4	155
	5	192
<u>Dasyneura rhodophaga</u> Coq. - - - - -	2	74
<u>Datana integerrima</u> G. & R. - - - - -	4	181
	5	217
	6	249
<u>Datana ministra</u> Drury - - - - -	5	187
<u>Deer flies</u> , see <u>Chrysops</u> spp.		
<u>Dendroctonus frontalis</u> Zimm. - - - - -	4	182
<u>Dermacentor variabilis</u> Say - - - - -	4	184
<u>Des. funeralis</u> Hüb. - - - - -	2	57
<u>Des. propior balteata</u> Lec. - - - - -	6	232
<u>Des. propior 12-punctata</u> Fab. - - - - -	1	13
	2	45
	3	90, 125
	4	152
	5	200

	No.	Page.
<u>Diabrotica soror</u> Lec. - - - - -	2	43
<u>Diabrotica virgifera</u> Lec. - - - - -	4	152
<u>Diabrotica vittata</u> Fab. - - - - -	1	31
	2	58, 67
	3	127, 128, 129
	4	174
	5	209
<u>Diacrisia virginica</u> Fab. - - - - -	4	155, 176
	5	211
<u>Dialeurodes citri</u> (Ashm.) - - - - -	1	24
	5	202
Diamond-back moth, a.n.o., see <u>Plutella maculipennis</u> Curt.		
<u>Diaphania nitidalis</u> Stoll - - - - -	5	209
	6	238
	7	273
<u>Diarthronomyia hypogaea</u> F. Loew - - - - -	2	75
	3	137
	6	254
	7	284
<u>Diastrophus turgidus</u> Bass. - - - - -	3	112
<u>Diatraea saccharalis</u> Fab. - - - - -	1	12
	2	43
	4	151, 166
	5	191
<u>Dibolia borealis</u> Chev. - - - - -	3	130
<u>Dicerca divaricata</u> Say - - - - -	2	53
Dictyospermum scale, see <u>Chrysomphalus dictyospermi</u> Morg.		
Differential grasshopper, see <u>Melanoplus differentialis</u> Thom.		
<u>Dipolepis rosae</u> L. - - - - -	5	223
<u>Diprion simile</u> Hartig - - - - -	5	217
Diptora (undetermined) - - - - -	7	269
<u>Disonychia triangularis</u> Say - - - - -	5	212
<u>Dissosteira longipennis</u> Thom. - - - - -	5	194
Divaricate cherry borer, see <u>Dicera divaricata</u> Say.		
Dog flea, see <u>Ctenocephalus canis</u> Bouché.		
Dog tick, American, see <u>Dermacentor variabilis</u> Say.		
<u>Drasteria erectea</u> Cramer, see <u>Caenurgia erectea</u> Cram.		
<u>Drepanaphis acerifolii</u> Thos. - - - - -	2	70

E.


Early strawberry slug, see <u>Empria fragariae</u> Rohwer.		
Earwig, English, see <u>Forficula auricularia</u> L.		
Eight-spotted forester, a.n.o., see <u>Alypia octomaculata</u> Fab.		
<u>Elasmopalpus lignosellus</u> Zell. - - - - -	6	203
Elateridae - - - - -	2	44
<u>Eleodes</u> spp. - - - - -	3	229
<u>Eleodes opaca</u> Say. - - - - -	1	9
Elm borer, a.n.o., see <u>Saperda tridentata</u> Oliv.		

	NO.	Page.
<u>Elm bucculatrix</u> (species undetermined) -----	3	133
<u>Elm case-bearer</u> , a.n.o., see <u>Colcophora limosipennella</u> Dup.		
<u>Elm leaf-beetle</u> , see <u>Galerucella luteola</u> Mull.		
<u>Elm spanworm</u> , a.n.o., see <u>Ennomos subsignarius</u> Hübner.		
<u>Empoa rosae</u> L. -----	1	20
	2	51, 74
	3	101, 139
	6	242
<u>Empoasca mali</u> LeBaron -----	2	52
	3	101, 121, 127
	4	159, 169, 174
	5	198, 204
	6	226, 242
<u>Empoa unicolor</u> Fitch, see <u>Chlorotettix unicolor</u> Fitch.		
<u>Empria fragariae</u> Rohrer -----	3	125
<u>Empusa aphidis</u> -----	1	9, 10
<u>Enarmonia interstinctana</u> Clemens, see <u>Laspeyresia</u> .		
<u>Enarmonia prunivora</u> Walsh, see <u>Laspeyresia</u> .		
<u>Endelomyia aethiops</u> Fab. -----	3	139
<u>English earwig</u> , see <u>Forficula auricularia</u> L.		
<u>English grain aphid</u> , see <u>Macrosiphum granarium</u> Buck.		
<u>Ennomos subsignarius</u> Hübner. -----	4	179
<u>Ephestea kuehniella</u> Zell. -----	6	256
<u>Epicauta cinerea</u> Forst. -----	5	213
<u>Epicauta lemniscata</u> Fab. -----	5	192
<u>Epicauta rarinata</u> Fab. -----	5	213
<u>Epicauta</u> spp. -----	6	235
<u>Epicauta vittata</u> Fab. -----	2	68
	4	176
<u>Epilachna borealis</u> Fab. -----	3	128
	4	175
<u>Epilachna corrupta</u> Muls. -----	1	29
	2	66
	3	126
	4	173
	5	208
	7	272
<u>Epitrix cucumeris</u> Harr. -----	2	64
	3	120
	4	168
	5	203
	6	236
	7	270
<u>Epitrix parvula</u> Fab. -----	2	59
<u>Epitrix subcrinita</u> Lec. -----	2	65
<u>Eriophyes oleivorus</u> Ashm. -----	1	24
	2	58
	6	247
<u>Eriophyes pyri</u> Pgst. -----	2	52
	3	104
	4	160
	5	199
	6	243

	No.	Page.
<u>Eriosoma americana</u> Riley - - - - -	2	73
	3	133
	4	180
<u>Eriosoma lanigerum</u> Haus. - - - - -	1	17
	2	46
	3	95
	4	156
	5	195
	6	254
	7	274
<u>Frythronneura comes</u> Say - - - - -	1	12, 23
	2	57
	3	114
	4	163
	5	201
	6	246
	7	277
<u>Frythronneura obliqua</u> Say - - - - -	1	20
	7	275
<u>Eutotheola rugiceps</u> Lec. - - - - -	4	167
<u>Eulia velutinana</u> Walk. - - - - -	6	241
<u>Eumicrosoma benefica</u> Gahan - - - - -	5	191
<u>Euonymus</u> scale, a.n.o., see <u>Chionaspis euonymi</u> Const.		
<u>Euphoria inda</u> L. - - - - -	5	216
	6	231, 243, 249
<u>Euproctis chrysorrhoea</u> L. - - - - -	1	32
	3	134
European corn-borer, a.n.o., see <u>Pyrausta nubilalis</u> Hübner.		
European elm scale, a.n.o., see <u>Gossyparia spuria</u> Hodecr.		
European fruit lecanium, see <u>Lecanium corni</u> Bouché.		
European grain aphid, see <u>Rhopalosiphum padi</u> L.		
European hornet, see <u>Vespa crabro</u> L.		
European pine sawfly, see <u>Diprion simile</u> Hartig.		
European red mite, see <u>Paratetranychus pilosus</u> Can. & Fanz.		
European wheat sawfly, see <u>Cephus pygmaeus</u> L.		
<u>Eurytus eurytheme</u> Boisd. - - - - -	-5	192
	7	278
<u>Eurytus philodice</u> Godart - - - - -	2	42
<u>Euschistus servus</u> Say - - - - -	3	118
<u>Euthrips pyri</u> Daniel, see <u>Taeniothrips inconspuens</u> Uzel.		
<u>Euthrips tritici</u> Fitch - - - - -	5	222
<u>Euxoa auxiliaris</u> Grote, see <u>Chorizagrotis auxiliaris</u> Grote.		
<u>Euxoa messoria</u> Harr. - - - - -	3	129

F.


Fall armyworm, a.n.o., see Laphygma frugiperda S. & A.
 Fall cankerworm, a.n.o., see Alsophila pometaria Harris.
 Fall webworm, a.n.o., see Hyphantria cunea Drury.
 False apple red bug, see Lygidea mendax Reut.
 False turnip aphid, see Aphis pseudobrassicæ Davis.
 False wireworms, see Eleodes spp.



	No.	Page
Fern scale, a.n.o., see <u>Hemichionaspis aspidistrae</u> Sign.		
<u>Fidia viticida</u> Walsh - - - - -	3	115
	4	163
	5	201
	6	246
Fire ant, see <u>Solenopsis geminata</u> Fab.		
Flat-headed apple-tree borer, a.n.o., see <u>Chrysobothris femorata</u> Oliv.		
Florida flower thrips, see <u>Frankliniella bispinosus projectus</u> Watson.		
Flower thrips, a.n.o., see <u>Euthrips tritici</u> Fitch.		
<u>Forda olivacea</u> Rohwer - - - - -	1	7
	7	285
Foreign grain beetle, see <u>Cathartus advena</u> Waltl.		
Forest tent-caterpillar, a.n.o., ^{see} <u>Malacosoma disstria</u> Hüb. n.		
<u>Forficula auricularia</u> L. - - - - -	2	78
Formicidae - - - - -	4	184
	5	225
	6	255
Four-lined plat-bug, see <u>Poecilopsus lineatus</u> Fab.		
Four-marked leaf-beetle, see <u>Cryptocephalus notatus</u> var. <u>quadrinaculatus</u> Say.		
Fowl tick, see <u>Argas miniatus</u> Koch.		
<u>Frankliniella bispinosus projectus</u> Watson - - - - -	1	24
Fruit-tree leaf-roller, see <u>Cacoecia argyrospila</u> Walk.		

G.

<u>Galerucella luteola</u> Mull. - - - - -	2	73
	3	132
	4	179
	5	215
	6	249
<u>Calleria mellonella</u> L. - - - - -	3	141
	4	184
	6	256
Gallinipper, see <u>Psorophora ciliata</u> Fab.		
Garden fleahopper, see <u>Halticus citri</u> Ashm.		
Garden slug, see <u>Agriolimax agrestis</u> L.		
Garden webworm, a.n.o., see <u>Loxostege similalis</u> Guen.		
Gibbous June beetle, see <u>Phyllophaga gibbosa</u> Burm.		
<u>Glycobius speciosus</u> Say - - - - -	3	132
Goldenglow aphid, see <u>Macrosiphum rudbeckiae</u> Fitch.		
Gooseberry spanworm, see <u>Cymatophora ribearia</u> Fitch.		
<u>Gossyparia spuria</u> Moeber - - - - -	2	73
	3	133
	4	180
	5	216
Grain aphid, English, see <u>Macrosiphum granarium</u> Buck.		
Granary weevil, a.n.o., see <u>Calendra granaria</u> L.		
Grape-berry moth, a.n.o., see <u>Polychrosis viteana</u> Clem.		
Grape-blossom midge, see <u>Contarinia johnsoni</u> Sling.		
Grape colaspis, a.n.o., see <u>Colaspis brunnea</u> Fab.		
Grape curculio, a.n.o., see <u>Craponius inaequalis</u> Say.		
Grape flea-beetle, a.n.o., see <u>Haltica chalybea</u> Ill.		
Grape leaf-folder, a.n.o., see <u>Desmia funeralis</u> Hüb. n.		



Grape leafhopper, a.n.o., see <u>Erythroneura comes</u> Say		
Grape leaf skeletonizer, see <u>Harrisina americana</u> Guer.		
Grape mealybug, see <u>Pseudococcus maritimus</u> Ehrh.		
Grape plume moth, a.n.o., see <u>Oxyptylus periscelidactylus</u> Fitch.		
Grape rootworm, a.n.o., see <u>Fidia viticida</u> Walsh.		
Grapevine aphid, see <u>Macrosiphum illinoisensis</u> Shim.		
Grapevine hoplia, see <u>Hoplia callipyge</u> Lec.		
<u>Graphops nebulosus</u> Lec. - - - - -	7	272
<u>Graptolitha antennata</u> Walk. - - - - -	2	48
	3	98
	4	157

Grasshoppers, see Acrididae

Gray blister-beetle, a.n.o., see <u>Epicauta cinerea</u> Först.		
Gray hair-streak, see <u>Uranotes melinus</u> Hübn.		
Greater wheat-stem maggot, see <u>Meromyza americana</u> Fitch.		
Green apple bug, see <u>Lygus communis</u> Knight.		
Green bug, see <u>Toxoptera graminum</u> Rond.		
Green clover worm, see <u>Plathypena scabra</u> Fab.		
Greenhouse leaf-tyer, see <u>Phlyctaenia ferrugalis</u> Hübn.		
Greenhouse orthozia, see <u>Orthezia insignis</u> Doug.		
Greenhouse white-fly, a.n.o., see <u>Trialeurodes vaporariorum</u> West.		
Green June beetle, a.n.o., see <u>Cotinis nitida</u> L.		
Green peach aphid, a.n.o., see <u>Myzus persicae</u> Sulz.		
Green-striped maple worm, see <u>Anisota rubicunda</u> Fab.		
<u>Gryllotalpa borealis</u> Burm., see <u>G. hexadactyla</u> Perty.		
<u>Gryllotalpa hexadactyla</u> Perty - - - - -	6	236
<u>Gryllotalpa</u> spp. - - - - -	7	271
<u>Gryllus assimilis</u> Fab. - - - - -	4	149
<u>Gymnonychus appendiculatus</u> Hartig - - - - -	3	113
<u>Gymnonychus californicus</u> Marlatt - - - - -	3	105
Gypsy moth, a.n.o., see <u>Porthetria dispar</u> L.		

H.

<u>Haematobia irritans</u> L. - - - - -	3	140
	5	225
Hairy red goat louse, see <u>Trichodectes hermsi</u> K. & N.		
<u>Haltica chalybea</u> Ill. - - - - -	2	57
	3	115
<u>Haltica ignita</u> Ill. - - - - -	3	124
<u>Halticus citri</u> Ashm. - - - - -	3	127
Harlequin cabbage bug, a.n.o., see <u>Murgantia histrionica</u> Hahn.		
<u>Hamolita grande</u> Riley - - - - -	1	7
	2	37
	3	85



	No.	Page.
<u>Harmolita tritici</u> Fitch - - - - -	2	37
	3	85
	4	148
	5	188
<u>Harmolita vaginicola</u> Doane - - - - -	5	189
<u>Harrisina americana</u> Guer. - - - - -	2	57
<u>Helioiphila albilinea</u> Hubn., see <u>Neleucania albilinea</u> Hubn.	6	246
<u>Heliothrips femoralis</u> Reut. - - - - -	2	75
<u>Hellula undalis</u> Fab. - - - - -	5	207
<u>Hemerocampa leucostigma</u> S. & A. - - - - -	2	71
	3	98
	4	177
	5	214
<u>Hemerophila pariana</u> Clerck - - - - -	4	157
	5	196
	6	241
	7	274
<u>Hemichionaspis aspidistrae</u> (Sign.) - - - - -	2	76
<u>Hemileuca maia</u> Drury - - - - -	7	282
Hemispherical scale, a. n. o., see <u>Saissetia hemisphaerica</u> Targ.		
Hessian fly, see <u>Phytophaga destructor</u> Say.		
<u>Heterocordylus malinus</u> Reut. - - - - -	1	19
	2	50
	3	100
	6	242
Hickory borer a. n. o., see <u>Cyllene robiniae</u> Forst.		
Hickory gall aphid, see <u>Phylloxera caryaecaulis</u> Fitch.		
Hickory nut weevil, see <u>Balaninus caryae</u> Horn.		
<u>Hippodamia convergens</u> Guer.	1	5, 10
Hollyhock bug, see <u>Orthotylus delicatus</u> Uhl.		
Holly leaf-miner, American, see <u>Phytomyza obscurella</u> var. <u>ilicicola</u> Loew.		
<u>Hoplia callipyge</u> Lec. - - - - -	2	57
<u>Hoplia trifasciata</u> Say - - - - -	3	105
Horn fly, see <u>Haematobia irritans</u> L.		
Hornworms, see <u>Phlegethontius</u> spp. and <u>Protoparce</u> .		
Horse flies, see <u>Tabanus</u> spp.		
Horse-radish flea-beetle, see <u>Phyllotreta armoraciae</u> Koch.		
Houghton's gooseberry aphid, see <u>Aphis houghtonensis</u> Troop.		
Human flea, see <u>Pulex irritans</u> L.		
<u>Hylastinus obscurus</u> Marsh. - - - - -	2	42
	5	192
<u>Hylemyia antiqua</u> Meig. - - - - -	2	68
	3	129
	4	176
	5	211
<u>Hylemyia brassicae</u> Beuche - - - - -	1	28
	2	65
	3	122
	4	172
	5	206

Hylemyia cerealis Gillette, see Pegomya cerealis Gillette.

<u>Hylemyia cilicrura</u> Rond. - - - - -	1	25
	2	63
	3	119
	5	204
<u>Hyalopterus arundinis</u> Fab. - - - - -	3	110
<u>Hypera punctata</u> Fab. - - - - -	1	11
	3	88
<u>Hyphantria cunea</u> Drury - - - - -	3	113, 134
	4	158, 177
	5	201, 214
	6	241, 245, 248
	7	281
<u>Hyphantria textor</u> Harr. - - - - -	6	248
<u>Hysteroneura setariae</u> Thomas - - - - -	3	110

I.

<u>Icerya purchasi</u> Mask. - - - - -	7	277
<u>Idiocerus provancheri</u> Van D. - - - - -	2	52
<u>Illinoia pisi</u> Kalt. - - - - -	1	9, 31
	2	39, 68
	3	86, 127
	4	174

Imported cabbage worm, a. n. o., see Pontia rapae L.

Imported currant worm, a. n. o., see Pteronidea ribesi Scop.

Io moth, a. n. o., see Automeris io Fab.

Iridomyrmex humilis Mayr - - - - - 5 225

Ivy scale, see Aspidiotus hederæ Vallot.

J.

Janus integer Norton - - - - - 3 113

Jointworm, see Harmolita tritici Fitch.

K.

Kaliotenus ulmi Sund. - - - - - 3 133

L.

<u>Languria mozdardi</u> Latr. - - - - -	1	12
<u>Laphygma frugiperda</u> S. & A. - - - - -	1	8, 31
	2	43
	3	84
	4	151
	5	190, 221
	6	231
	7	268, 284
Larch case-bearer, a. n. o., see <u>Coleophora laricella</u> Hubn.		
<u>Laspeyresia caryana</u> Fitch - - - - -	5	201
<u>Laspeyresia interstinctana</u> Clem. - - - - -	2	42
	5	192

	No.	Page.
<u>Lycophotia margaritosa</u> Haw. - - - - -	4	155
<u>Lyctus parallelipedus</u> Melsh. - - - - -	7	282
<u>Lygidea mendax</u> Reut. - - - - -	2	50
	3	100
	4	158
<u>Lygus communis</u> Knight - - - - -	3	104
	6	243
<u>Lygus pratensis</u> L. - - - - -	1	9, 19
	2	50
	3	86, 107, 125
	4	170
	5	205, 221
<u>Hyperosia irritans</u> L., see <u>Haematobia irritans</u> L.		
<u>Lysiphlebus testaceipes</u> Cress. - - - - -	1	5
<u>M.</u>		
<u>Macrobasis segmentata</u> Jay - - - - -	5	213
<u>Macrobasis unicolor</u> Kby. - - - - -	5	212
<u>Macroductylus subspinosus</u> Fab. - - - - -	2	74
	3	107, 108, 115,
		124, 138, 139, 140
	4	183
<u>Macrosiphum granarium</u> Buck. - - - - -	1	7
<u>Macrosiphum illinoisensis</u> Shim. - - - - -	3	116
<u>Macrosiphum pisi</u> Kalt., see <u>Illinoia pisi</u> Kalt.		
<u>Macrosiphum rosae</u> L. - - - - -	2	74
	3	138
<u>Macrosiphum rudbeckiae</u> Fitch - - - - -	5	222
<u>Macrosiphum solanifolii</u> Ashm. - - - - -	2	64
	3	121
	4	168
	5	204
	6	236
	7	285
Magnolia scale, a. n. o., see <u>Neolecanium cornuparvum</u> Thos.		
Maize billbug, see <u>Sphenophorus maidis</u> Chitt.		
<u>Malacosoma americana</u> Fab. - - - - -	1	19
	2	49
	3	98
	4	158
<u>Malacosoma disstria</u> Hubn. - - - - -	2	72
	3	99
	4	178
<u>Malacosoma disstria</u> var. <u>erosa</u> Stretch - - - - -	2	72
<u>Malacosoma pluvialis</u> Dyar - - - - -	2	72
<u>Mamestra picta</u> Harr., see <u>Ceramica picta</u> Harr.		

11
 06
 0.1 1001 80
 003
 118 800

11
 06
 0.1 1001 80
 003
 118 800

Maple Chaetophorus, see <u>Periphyllus aceris</u> L.		
Maple-leaf stem-borer, see <u>Caulacampus acericaulis</u> MacG.		
Maple sesian, see <u>Sesia acerni</u> Clem.		
Margined blister beetle, see <u>Epicauta marginata</u> Fab.		
Meadow plant-bug, a. n. o., see <u>Miris dolabratus</u> L.		
Mealy flata, see <u>Ormenis pruinosa</u> Say.		
Mealy plum aphid, see <u>Hyalopterus arundinis</u> Fab.		
Mediterranean flour moth, a. n. o., see <u>Ephestia kuehniella</u> Zell.		
<u>Megatopys opercularis</u> S. & A. - - - - -	3	141
<u>Megastigmus nigrovariegatus</u> Ashm. - - - - -	4	183
<u>Megilla maculata</u> auct., see <u>Ceratonegilla fuscilabris</u> Muls.		
<u>Megilla fuscilabris</u> Muls., see <u>Ceratonegilla fuscilabris</u> Muls.		
<u>Melalopha inclusa</u> Hubn. - - - - -	6	249
<u>Melanoplus atlantis</u> Riley - - - - -	4	153
	5	194
<u>Melanoplus bivittatus</u> Say - - - - -	4	153
<u>Melanoplus bruneri</u> Scud. - - - - -	4	153
<u>Melanoplus differentialis</u> Thomas - - - - -	4	153
<u>Melanoplus femur-rubrum</u> DeG. - - - - -	4	153
	5	194
	6	244
<u>Melanoplus saltator</u> Scud. - - - - -	5	194
<u>Melanotus communis</u> Gyll. - - - - -	4	154
<u>Melanotus pilosus</u> Blatch. - - - - -	3	86
<u>Melanoxanthium smithiae</u> Monell - - - - -	7	282
<u>Melittia satyriniformis</u> Hubn. - - - - -	3	128
	4	175
	5	209
<u>Menopon pallidum</u> Nitz. - - - - -	2	77
<u>Meromyza americana</u> Pitch - - - - -	3	85
	4	146
Mexican bean beetle, see <u>Epilachna corrupta</u> Muls.		
Millipedes - - - - -	1	28, 29
	3	138
<u>Mineola indigenella</u> Zeller - - - - -	6	241
<u>Mineola leucella</u> Riley - - - - -	1	24
<u>Miris dolabratus</u> L. - - - - -	3	86
<u>Miselia renigera</u> Steph. - - - - -	1	12
Mites - - - - -	3	134
Mole crickets, see <u>Gryllotalpa</u> spp.		
<u>Monarthropalpus buxi</u> Labou. - - - - -	2	75
	4	183
<u>Monocrepidius lividus</u> DeG. - - - - -	4	154
<u>Monophadnoides rubi</u> Harris - - - - -	2	56
Mormon cricket, see <u>Anabrus simplex</u> Hald.		

	No.	Page.
Mossy rose gall, see <u>Dipolepis rosae</u> L.		
<u>Murgantia histrionica</u> Hahn - - - - -	1	27
	3	123
	4	172
	5	206
	6	237
<u>Mylabris obtectus</u> Say - - - - -	3	126
	6	257
<u>Myzus cerasi</u> Fab. - - - - -	2	53
	3	107
	4	161
<u>Myzus persicae</u> Sulz. - - - - -	1	31
	2	54
	3	105
	5	207
<u>Myzus ribis</u> L. - - - - -	1	24
	2	55
	3	112
	4	162
	5	201

N.

Native currant worm, see <u>Gymnonychus appendiculatus</u> Hartig.		
<u>Neleucania albilinea</u> Hübner. - - - - -	3	84
Nematodes - - - - -	1	8
	3	88
<u>Neolecanium cornuparvum</u> Thos. - - - - -	4	183
<u>Nephelodes ermedonia</u> Cram. - - - - -	2	45
<u>Nephelodes minians</u> Guen, see <u>Nephelodes ermedonia</u> Cram.		
<u>Nezara viridula</u> L. - - - - -	1	27
	2	69
	3	118
	4	174
	5	193
Noctuidae - - - - -	1	8
	2	44, 60
	3	118
<u>Notonota puncticollis</u> Say - - - - -	3	108, 139
Northern grass worm, see <u>Drasteria erechtea</u> Cram.		
Northern mole cricket, a.n.a., see <u>Gryllotalpa borealis</u> Burm.		
Norway maple aphid, ^{see} <u>Periphyllus lyncocictus</u> Kess.		
Nose fly, see <u>Oestrus ovis</u> L.		

O.

Oak seed gall, see <u>Andricus seminator</u> Harr.		
Oak fig gall, see <u>Biorhiza forticornis</u> Walsh.		
Oak lecanium, see <u>Lecanium quercifex</u> Fitch.		
<u>Oberea bimaculata</u> Oliv. - - - - -	3	112
	4	163
<u>Oberea tripunctata</u> Swed. - - - - -	6	254

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

Oblique-banded leaf-roller, see Archips rosaceana Harr.

Obsolete-banded strawberry leaf-roller, see Archips obsoletana Walk.

<u>Oecanthus nigricornis</u> Walk. - - - - -	3	111
<u>Oecanthus niveus</u> DeG. - - - - -	3	102, 116,
	4	166
<u>Oestrus ovis</u> L. - - - - -	5	226
	6	255
<u>Okanagana rimosa</u> Say - - - - -	7	281
<u>Omphalocera dentosa</u> Grote - - - - -	6	254
<u>Oncideres cingulatus</u> Say - - - - -	7	276, 282
Onion thrips, a. n. o., see <u>Thrips tabaci</u> Lind.		
<u>Orcestes pallicornis</u> Say - - - - -	3	102
Oriental peach moth, a. n. o., see <u>Laspeyresia molesta</u> Busck.		
Onion maggot, a. n. o., see <u>Hylemyia antiqua</u> Meig.		
<u>Ormenis pruinosa</u> Say - - - - -	4	183
<u>Ortzezia insignis</u> Doug. - - - - -	2	76
<u>Orthotylus delicatus</u> Uhl. - - - - -	2	75
<u>Otiorhynchus ovatus</u> L., see <u>Brachyrhinus ovatus</u> L.		
<u>Otiorhynchus rufifrons</u> Gyll., see <u>Brachyrhinus rufifrons</u> Gyll.		
<u>Oxyptilus periscelidactylus</u> Fitch - - - - -	2	57
	3	114
Oyster-shell scale, a. n. o., see <u>Lepidosaphes ulmi</u> L.		

P.

<u>Pachnaeus opalus</u> Oliv. - - - - -	2	58
<u>Paleacrita vernata</u> Peck - - - - -	1	20
	2	48
	3	99, 136
	4	158
Pale-striped flea-beetle, a. n. o., see <u>Systema taeniata</u> var. <u>blanda</u> Melsh.		
Pale western cutworm, see <u>Porosagrotis orthogonia</u> Morr.		
<u>Papaipema mebris</u> v. <u>nitela</u> Guen. - - - - -	2	44
	3	89, 121
	4	152, 170
	6	231
<u>Papaipema purpurifascia</u> C. & R. - - - - -	5	222
<u>Papilio polyxenes</u> Fab. - - - - -	4	176
<u>Paralechia pinifoliella</u> Chamb. - - - - -	6	251
<u>Paratetranychus pilosus</u> Can. & Fanz. - - - - -	3	103, 111
	4	159
	5	198
<u>Paria canella</u> (Fab.) - - - - -	1	30
	2	68
	5	223
	6	237
Peach borer, a. n. o., see <u>Ageria exitiosa</u> Say.		
Peach moth, Oriental, see <u>Laspeyresia molesta</u> Busck.		
Peach twig-moth, a. n. o., see <u>Anarsia lineatella</u> Zell.		



Pear blight beetle, see <u>Anisandrus pyri</u> Peck.		
Pear borer, see <u>Aegeria pyri</u> Harris.		
Pear-leaf blister mite, a. n. o., see <u>Eriophyes pyri</u> Pgst.		
Pear midge, see <u>Contarinia pyrivora</u> Riley.		
Pear psylla, a. n. o., see <u>Psylla pyricola</u> Foerst.		
Pear slug, a. n. o., see <u>Caliroa cerasi</u> L.		
Pear thrips, a. n. o., see <u>Thripsothrips inconsequens</u> Uzel.		
Pecan case-bearer, see <u>Acrobasis nebulella</u> Riley.		
Pecan nut case-bearer, see <u>Acrobasis nebulella</u> Hulst.		
Pecan phylloxera, see <u>Phylloxera caryana</u> Perg.		
Pecan shuckworm, see <u>Laspeyresia caryana</u> Fitch.		
<u>Pectinophora gossypiella</u> Saund. - - - - -	2	61
	6	253
<u>Pegomya cerealis</u> Gillette - - - - -	1	9
	2,	38
	3	85
	4	147
<u>Pegomya hyoscyami</u> Panz. - - - - -	3	129
	4	176
	5	212
<u>Perandrus scabricollis</u> Thomas - - - - -	5	188
<u>Peregrinus maidis</u> Ashm. - - - - -	4	152
	6	232
<u>Peridroma margaritosa</u> Haw., see <u>Lycophotia margaritosa</u> Haw.		
<u>Periphrilus aceris</u> L. - - - - -	3	132
<u>Periphrilus lyropictus</u> Kess. - - - - -	6	248
<u>Phalacrus volatus</u> Melsh. - - - - -	4	149
<u>Phelates</u> sp. - - - - -	6	235
<u>Phenacoccus acericola</u> King - - - - -	2	70
	3	132
	5	215
	6	248
<u>Phlegenthonius quinque- maculata</u> Haw., see <u>Protoparce quin-</u>		
<u>Phlegenthonius sexta</u> Joh. see <u>Protoparce sexta</u> Joh.		
<u>Phlegenthonius</u> spp. - - - - -	4	171
<u>Phlyctaenia ferrugalis</u> Hüb. - - - - -	2	76
	3	140
	7	264
<u>Pholus achemon</u> Drury - - - - -	2	57
	7	277
<u>Phorbia brassicae</u> Bouche, see <u>Hylemyia brassicae</u> Bouche.		
<u>Phthoraea operculella</u> Zell. - - - - -	4	165
<u>Phyllonax fagi</u> L. - - - - -	2	71
<u>Phyllocoptes cornutus</u> Banks - - - - -	6	245
	7	276
<u>Phyllocoptes quadripes</u> Shm. - - - - -	2	70
	3	132
	7	251

	No.	
<u>Phyllocoptes schlecterdali</u> Nalepa - - - - -	4	160
<u>Phyllonorycter tremulcidella</u> Fraun - - - - -	5	216
<u>Phyllophaga</u> - - - - -	1	13, 30
	2	44
	3	91, 124
	4	170
	5	191, 207, 221
	6	234, 237
	7	272
<u>Phyllophaga futilis</u> Lec. - - - - -	2	44
<u>Phyllophaga gibbosa</u> Burm., see <u>Phyllophaga futilis</u> Lec.		
<u>Phyllophaga lanceolata</u> Say - - - - -	3	117
<u>Phyllotreta armoraciae</u> Koch - - - - -	2	69
<u>Phyllotreta vittata</u> Fab. - - - - -	3	87, 126
	4	172
<u>Phylloxera caryaecavlis</u> Fitch - - - - -	3	136
<u>Phylloxera devastatrix</u> Perg. - - - - -	4	164
<u>Phytomyza obscura</u> v. <u>ilicicola</u> Loew - - - - -	2	71
<u>Phytonomus murinus</u> Titus, see <u>Phytonomus rusticus</u> Gyll.		
<u>Phytonomus nigrirostris</u> Fab. - - - - -	1	12
	2	40
	3	88
	5	192
<u>Phytonomus rusticus</u> Gyll. - - - - -	1	11
	2	42
<u>Phytophaga destructor</u> Say - - - - -	1	3
	2	36
	3	82
	4	145
	5	187
	6	229
	7	261
Pickle worm, a. n. o., see <u>Diaphania nitidalis</u> Grav.		
Pineapple scale, see <u>Pseudococcus bromellae</u> Bouche.		
Pine bark aphid, see <u>Pineus strobi</u> Hartig.		
Pine leaf-miner, see <u>Paralecania pinifoliella</u> Chamb.		
Pine leaf scale, see <u>Chionaspis pinifoliae</u> Fitch.		
<u>Pineus strobi</u> Hartig - - - - -	2	72
	4	182
Pink bollworm, see <u>Pectinophora gossypiella</u> Saund.		
Pistol case-bearer, a. n. o., see <u>Coleophora palivorella</u> Riley.		
Pit-making oak scale, see <u>Asterolecanium variolosum</u> Ratz.		
Plantain flea-beetle, see <u>Dibolia borealis</u> Chev.		
<u>Plathypena scabra</u> Fab. - - - - -	6	233
	7	266
Plum curculio, a. n. o., see <u>Conotrachelus nemophar</u> Hbst.		
<u>Plesiodonta compressipennis</u> Guen. - - - - -	3	137
<u>Plutella maculipennis</u> Curt. - - - - -	5	207
<u>Podosesia syringae</u> Harris - - - - -	4	183
	5	223
<u>Poeciloscapsus lineatus</u> Fab. - - - - -	2	75
	3	113
	4	162

<u>Polia renigera</u> Steph., see <u>Eiselia renigera</u> Steph.		
<u>Polistes</u> sp. - - - - -	2	56
	4	173
<u>Polychrosis viteana</u> Clem. - - - - -	3	114
	5	201
	6	246
<u>Pomphopoea aenea</u> Say - - - - -	2	55
<u>Pomphopoea sayi</u> Lec. - - - - -	3	107
<u>Pontia rapae</u> L. - - - - -	1	26
	2	65
	3	123, 137
	4	172
	5	206
	6	236
	7	270
Poplar borer, a. n. o., see <u>Saperda calcarata</u> Say.		
Poplar mocha stone moth, see <u>Melalopha inclusa</u> Hübner.		
<u>Porosagrotis orthocoma</u> Morr. - - - - -	2	38
	3	83
	4	148
	5	188
<u>Perthetria dispar</u> L. - - - - -	1	32
	2	73
	3	134
	5	215
Potato aphid, see <u>Macrosiphum solanifolii</u> Ashm.		
Potato beetle, Colorado, see <u>Leptinotarsa decemlineata</u> Say.		
Potato flea-beetle, a. n. o., see <u>Epitrix cucumeris</u> Harr.		
Potato tuber worm, a. n. o., see <u>Phthorimaea operculella</u> Zell.		
Primer-post beetle, see <u>Lyctus parallelepipedus</u> Melish.		
<u>Pyronoxystus robiniae</u> Peck - - - - -	4	180
	6	249
<u>Pycnus</u> sp. - - - - -	4	152
	6	232
<u>Pecophilus tessellatus</u> Fitch - - - - -	4	179
<u>Prodenia ornithogalli</u> Guen. - - - - -	6	232
	7	272
<u>Protoparce quinquea sulcata</u> Haw. - - - - -	4	166
	5	205, 221
	7	270
<u>Protoparce sexta</u> Joh. - - - - -	2	59
	7	270
<u>Pseudonidia duplex</u> Ckll. - - - - -	1	33
	3	136
	4	182
	5	218
	7	283
<u>Pseudococcus bakeri</u> Essig - - - - -	3	104
<u>Pseudococcus bromeliae</u> Bouche - - - - -	5	202
<u>Pseudococcus calceolariae</u> Mask. - - - - -	5	221
<u>Pseudococcus citri</u> Risso - - - - -	3	113
	4	164
	5	202
	6	254
<u>Pseudococcus nipae</u> Mask. - - - - -	3	138



<u>Pseudococcus gahani</u> Green - - - - -	7	284
<u>Pseudococcus maritimus</u> Ehrh. - - - - -	1	31
	2	57
	7	277
<u>Psorophora ciliata</u> Fab. - - - - -	5	225
<u>Psorosina hammonii</u> Riley - - - - -	4	157
<u>Psylla pyricola</u> Foerst. - - - - -	1	21
	2	52
	3	103
	4	159
	5	199
	6	243
<u>Pteronidea ribesi</u> Scop. - - - - -	1	24
	2	56
	3	113
<u>Pulex irritans</u> L. - - - - -	3	140
	5	224
<u>Pulvinaria pyriformis</u> Ckll. - - - - -	6	246
<u>Pulvinaria vitis</u> L. - - - - -	2	58, 70
	3	131
	5	215
Pursley sawfly, see <u>Steriotiphora zabriskei</u> Ashm.		
Putnam's scale, a. n. o., see <u>Astidiotus ancylus</u> Putn.		
<u>Pyrausta nubilalis</u> Hübn. - - - - -	5	189
	6	231
	7	265
Pyriform scale, a. n. o., see <u>Fulvinaria pyriformis</u> Ckll.		


Q.

Quince curulio, a. n. o., see Conotrachelus crataegi Walsh.

R.

Raspberry cane-borer, a. n. o., see <u>Oberea bivaculata</u> Oliv.		
Raspberry fruitworm, see <u>Byturus unicolor</u> Say.		
Raspberry root-borer, a. n. o., see <u>Bembecia marginata</u> Harr.		
Raspberry root gall, see <u>Diastrophus turgidus</u> Bass.		
Raspberry sawfly, a. n. o., see <u>Monophanoides rubi</u> Harris.		
Red-banded leaf-roller, see <u>Eulia velutinana</u> Walk.		
Red-legged locust, a. n. o., see <u>Melanorlus fagur-rubrum</u> DeG.		
Red-humped caterpillar, a. n. o., see <u>Schizura concinna</u> S. & A.		
Red-necked cane borer, see <u>Agrilus ruficollis</u> Fab.		
Red spider, see <u>Tetranychus</u> spp.		
Resplendent shield bearer, see <u>Coptodisca splendoriferella</u> Clem.		
<u>Reticulitermes flavipes</u> Kol. - - - - -	2	53
<u>Rhagoletis cingulata</u> Loew - - - - -	3	108
	4	161
	6	245
<u>Rhagoletis pomonella</u> Walsh - - - - -	3	103
	4	158
	5	197
	6	241
	7	275

	No.	Page.
<u>Rhododendron tingis</u> , see <u>Stephanitis rhododendri</u> Horv.		
<u>Rhopalosiphum padi</u> L. -----	1	7, 16
<u>Rhopalosiphum prunifoliae</u> Fitch -----	2	46
	3	94
<u>Rhopobota naevana</u> Hüb. -----	6	247
<u>Rhubarb weevil</u> , see <u>Lixus concavus</u> Say?		
<u>Rhynchites bicolor</u> Fab. -----	2	56
	3	139
<u>Ribbed cocoon maker</u> , see <u>Bucculatrix pomifoliella</u> Clem.		
<u>Rice stalk-borer</u> , see <u>Chilo pleiadellus</u> Zinck.		
<u>Rice water weevil</u> , see <u>Lissorhoptrus simplex</u> Say.		
<u>Rose aphid</u> , see <u>Macrosiphum rosae</u> L.		
<u>Rose chafer</u> , a.n.o., see <u>Macroductylus subspinosus</u> Fab.		
<u>Rose curculio</u> , see <u>Rhynchites bicolor</u> Fab.		
<u>Rose leaf-beetle</u> , see <u>Nodonota puncticollis</u> Say.		
<u>Rose leafhopper</u> , see <u>Empoa rosae</u> L.		
<u>Rose midge</u> , see <u>Dasyneura rhodophaga</u> Coq.		
<u>Rose sawfly</u> , see <u>Endelomyia aethiops</u> Fab.		
<u>Rose scale</u> , a.n.o., see <u>Aulacaspis rosae</u> Bouche!		
<u>Rosy apple aphid</u> , see <u>Anuraphis roseus</u> Baker.		
<u>Roundheaded apple-tree borer</u> , a.n.o., see <u>Saperda candida</u> Fab.		
<u>Rusty leaf mite</u> , see <u>Phyllocoptes schlectendali</u> Nalepa.		
<u>S.</u>		
<u>Saddle-back caterpillar</u> , a.n.o., see <u>Sibine stimulea</u> Clem.		
<u>Saissetia hemisphaerica</u> Targ. -----	3	137
	5	221
<u>San Jose scale</u> , see <u>Aspidiotus perniciosus</u> Comst.		
<u>Saperda calcarata</u> Say -----	4	180
	5	216
<u>Saperda candida</u> Fab. -----	2	51
	3	102
	4	159
<u>Saperda tridentata</u> Oliv. -----	3	133
	4	179
	5	216
<u>Sarcophaga kellyi</u> Ald. -----	4	154
<u>Sawfly (undetermined)</u> -----	5	218
<u>Say's blister beetle</u> , see <u>Pomphopoea savi</u> Lec.		
<u>Scapteriscus didactylus</u> Latr. -----	1	28
<u>Schizura concinna</u> S. & A. -----	5	197
	6	241
	7	275, 276
<u>Scolytus rugulosus</u> Ratz. -----	3	106
	4	161
	5	199, 200
	7	275
<u>Screw worm</u> , a.n.o., see <u>Chrysomela macellaria</u> Fab.		
<u>Scurfy scale</u> , a.n.o., see <u>Chionaspis furfura</u> Fitch.		
<u>Scutigerella</u> sp. -----	3	127
<u>Seed-corn beetle</u> , see <u>Agonoderus pallipes</u> Fab.		



Seed-corn maggot, see <u>Hylemyia ciliocirura</u> Rond.		
<u>Sesia acerni</u> Clem., see <u>Synanthedon acerni</u> Clem.		
<u>Sesia tipuliformis</u> L., see <u>Synanthedon tipuliformis</u> L.		
Shot-hole borer, a. n. o., see <u>Scolytus rugulosus</u> Ratz.		
<u>Sibine stimulea</u> Clem. - - - - -	6	254
Silver leaf mite, see <u>Phyllocoptes cornutus</u> Banks.		
Silver maple leaf mite, see <u>Phyllocoptes quadripes</u> Shim.		
<u>Simulium pictipes</u> Hagen- - - - -	2	77
<u>Siphocoryne avenae</u> Fab. - - - - -	1	7
<u>Sitona hispidulus</u> Fab. - - - - -	1	12
<u>Sitotroga cerealella</u> Oliv. - - - - -	6	256
Small body hen louse, see <u>Menopon pallidum</u> Mitzsch.		
Smut beetle, common, see <u>Phalacrus politus</u> Melsh.		
Snowy tree cricket, a. n. o., see <u>Oecanthus niveus</u> DeG.		
Soft scale, a. n. o., see <u>Coccus hesperidum</u> L.		
<u>Solenopsis geminata</u> Fab. - - - - -	6	235
<u>Sorgum</u> webworm, see <u>Celama sorghiella</u> Riley.		
Southern green plant-bug, see <u>Nezara viridula</u> L.		
Southern pine beetle, a. n. o., see <u>Dendroctonus frontalis</u> Zimm.		
<u>Sphenophorus maidis</u> Chitt. - - - - -	-3	90
	4	152
	7	265
<u>Sphenophorus parvulus</u> Gyll. - - - - -	6	233
<u>Spilonota ocellana</u> D. & S. - - - - -	1	18
	2	48
	3	98, 111
	4	157
	6	241
Spinach leaf-miner, see <u>Begomya hyoscyami</u> Panz.		
Spiraea aphid, see <u>Aphis apiraecola</u> Patch.		
Spittle insects, see Cerconidae.		
Spotted cutworm, see <u>Agrotis c-nigrum</u> L.		
Spring cankerworm, a. n. o. see <u>Paleacrita vernata</u> Peck.		
Spruce gall aphid, see <u>Adelges abietis</u> Kalt.		
Squash borer, see <u>Melittia satyriniformis</u> Hubn.		
Squash bug, a. n. o., see <u>Anasa tristis</u> DeG.		
Squash lady beetle, a. n. o., see <u>Epilachna borealis</u> Fab.		
Stable fly, a. n. o., see <u>Stomoxys calcitrans</u> L.		
Stalk borer, a. n. o., see <u>Papaipema nitela</u> Guen.		
<u>Stephanitis rhododendri</u> Horv. - - - - -	3	138
	4	182
<u>Sterictiphora zabriskei</u> Ashm. - - - - -	6	239

	No.	Page.
Stinging caterpillar, see <u>Megalopyge opercularis</u> S. & A.		
<u>Stenoxys calcitrans</u> L. - - - - -	2	77
	5	226
	7	280
Strawberry crown-birdler, see <u>Brachyrhinus ovatus</u> L.		
Strawberry crown-riner - - - - -	3	125
	5	207
Strawberry flea-beetle, see <u>Maltica ignita</u> Ill.		
Strawberry leaf-beetle, see <u>Paria canella</u> Fab.		
Strawberry leaf-roller, a. n. o., see <u>Ancylis comitana</u> Froehl.		
Strawberry root-borer, see <u>Graphops nebulosus</u> Lec.		
Strawberry root louse, see <u>Aphis forbesi</u> Weald.		
Strawberry weevil, a. n. o., see <u>Anthonus signatus</u> Say.		
Striped blister beetle, a. n. o., see <u>Epicauta vittata</u> Fab.		
Striped cucumber beetle, a. n. o., see <u>Diabrotica vittata</u> Fab.		
Striped flea-beetle, see <u>Phyllotreta vittata</u> Fab.		
Striped tree cricket, see <u>Oecanthus nigericornis</u> Walk.		
<u>Strymon melinus</u> Hübner. - - - - -	5	220
Sucking goat louse, see <u>Lingenthus stenopsis</u> Burm.		
Sugar-beet thrips, see <u>Heliothrips fernalis</u> Heeger.		
Sugar-beet webworm, see <u>Loxostege sticticalis</u> L.		
Sugar-cane beetle, a. n. o., see <u>Eutheola rugiceps</u> Lec.		
Sugar-cane borer, a. n. o., see <u>Diatraea saccharalis</u> Fab.		
Sugar-cane mealybug, see <u>Pseudococcus calceolariae</u> Mask.		
Sugar-maple borer, a. n. o., see <u>Glycobius speciosus</u> Say.		
Sunfloweraphis, see <u>Aphis helianthi</u> Monell.		
Sweet potato flea-beetle, see <u>Charactonera confinis</u> Cr.		
Sweet potato weevil, a. n. o., see <u>Cylas ferricarius</u> Fab.		
Sweet potato white fly, see <u>Berisia inconspicua</u> Quaint.		
<u>Synanthedon acerni</u> Clem. - - - - -	4	178
<u>Synanthedon tipuliformis</u> L. - - - - -	3	113
<u>Syntactaspis druparum</u> Boh. - - - - -	6	242
<u>Systema taeniata</u> var. <u>blanda</u> Melsh. - - - - -	3	88, 91
	4	173
<u>Systema taeniata</u> Say. - - - - -	3	128
	4	173
	5	208

T.

<u>Tabanus costalis</u> Weid. - - - - -	4	184
<u>Tabanus lasiophthalmus</u> Macq. - - - - -	3	140
<u>Tabanus rubescens</u> Bellardi - - - - -	3	140
	5	225
<u>Taeniothrips inconsequens</u> Uzel - - - - -	1	21
	2	52
	3	103
	6	243
Tarnished plant-bug, a. n. o., see <u>Lycus pratensis</u> L.		
<u>Tarsenalus pallidus</u> Banks - - - - -	3	140
<u>Tenebrio molitor</u> L. - - - - -	6	256
<u>Tenebroides mauritanicus</u> L. - - - - -	6	256
Tent caterpillar, a. n. o., see <u>Malacosoma americana</u> Fab.		

Termites, see Reticulitermes flavipes Kol.

Termites - - - - - 5 224

Terrapin scale, see Lecanium nigrofasciatum Perg.

Tetranychus bimaculatus Harv., see T. telarius L.

Tetranychus citri McGregor - - - - - -3 102

Tetranychus spp. - - - - - 4 166

- - - - - 6 255

Tetranychus telarius L. - - - - - 1 30

- - - - - 3 137,138

- - - - - 4 159

- - - - - 5 198,208,222

- - - - - 6 252

Three-lined potato beetle,, see Lema trilineata Oliv.

Thrips, see Thysanoptera.

Thrips tabaci Lind. - - - - - 1 31

- - - - - 3 129

- - - - - 4 175

- - - - - 5 210,212,222

Thyridopteryx ephemeraeformis Haw. - - - - - 1 33

- - - - - 2 73

- - - - - 3 132

- - - - - 4 178

- - - - - 5 214

- - - - - 6 248

Thysanoptera - - - - - 4 155

Tischeria malifoliella Olemens - - - - - 6 241

- - - - - 7 274

Tmetocera ocellana D. & S., see Spilonota ocellana D. & S.

Tobacco flea-beetle, a. n. o., see Eotrix parvula Fab.

Tobacco worm, a. n. o., see Protoparce quinquemaculata Haw.

Tomato worm, a. n. o., see Protoparce sexta Joh.

Toumeyella liriodendri Gmel. - - - - - 4 180

- - - - - 5 216

- - - - - 7 281

Toxoptera graminum Rond. - - - - - 1 4

- - - - - 3 85

Trialeurodes vaporariorum Westwood - - - - - 2 76

- - - - - 3 140

Triangular flea-beetle, see Disonycha triangularis Say.

Trichodectes hermsi Kellogg and Nakayama - - - - - 5 226

Trombidium - - - - - 4 184

Tulip-tree scale, see Toumeyella liriodendri Gmel.

Twelve-spotted asparagus beetle, see Eriocoris 12-punctata L.

Twelve-spotted cucumber beetle, see Diabrotica 12-punctata Fab.

Twig girdler, a. n. o., see Oncideres cingulatus Say.

Two-spotted mite, see Tetranychus telarius L.

Two-striped grasshopper, see Melanoplus bivittatus Say.

Tychius picirostris Fab. - - - - - 2 42

- - - - - 3 89

Typhlocyba comes Say, see Erythroneura comes Say.

U.

Uranotes melinus Hubn., see Strymon melinus Hubn.

V.

Variegated cutworm, see <u>Lycophotia margaritosa</u> Haw.		
Velvet bean caterpillar, see <u>Anticarsia gemmatilis</u> Hubn.		
<u>Vespa crabro</u> L. - - - - -	6	250

W.

Woolly maple leaf scale, see <u>Phenacoccus acericola</u> King.		
White fly (species unknown) - - - - -	5	206
White grubs, see <u>Phyllophaga</u> spp.		
White oak blotch leaf-miner, see <u>Lithocolletes hamadryella</u> Clem.		
Wheat straw-worm, see <u>Harmolita grande</u> Riley.		
Wheat-head army worm, a. n. o., see <u>Neleucania albilinea</u> Hubn.		
White-marked tussock moth, a. n. o., see <u>Hemerocampa leucostigma</u> S. & A.		
Wax moth, see <u>Galleria mellonella</u> L.		
Willow grave plant-louse, see <u>Melanoxantharium smithiae</u> Monell.		
Western wheat-stem maggot, see <u>Hylemyia cerealis</u> Gillette.		
Wheat-sheath gall jointworm, see <u>Harmolita vaginicola</u> Doane.		
Wireworm, see Elateridae.		
Woolly apple aphid, a. n. o., see <u>Eriosom lanigerum</u> Haus.		
Woolly elm aphid, see <u>Eriosoma americana</u> Riley.		
Western army cutworm, see <u>Euxoa auxiliaris</u> Grote.		
Wheat midge, a. n. o., see <u>Contarinia tritici</u> Kirby.		
Wheat-stem maggot, greater, see <u>Meromyza americana</u> Fitch.		
Wheat sawfly, western, see <u>Cephus cinctus</u> Nort.		
Willow flea-beetle, see <u>Chalcoides helxines</u> L.		
Western wheat sawfly, see <u>Cephus cinctus</u> Nort.		
White elm scale, see <u>Chionaspis americana</u> John.		
Walnut caterpillar, see <u>Datana integerrima</u> G. & R.		
Western 12-spotted cucumber beetle, see <u>Diabrotica soror</u> Lec.		
Wheat leaf-miner, see <u>Agromyza parvicornis</u> Loew.		
Wheat wireworm, see <u>Agriotes mancus</u> Say.		
West Indian peach scale, see <u>Aulacaspis pentagona</u> Targ.		

X.

<u>Xylodoris luteolus</u> Barber - - - - -	1	33
<u>Xylina antennata</u> Walk., see <u>Graptolitha antennata</u> Walk.		
<u>Xylina</u> sp. - - - - -	4	178

Y.

Yellow mealworm, a. n. o., see <u>Tenebrio molitor</u> L.		
Yellow-necked caterpillar, see <u>Darana ministra</u> Drury.		
Yellow-bear caterpillar, see <u>Diacrisia virginica</u> Fab.		

Z.

Zebra caterpillar, a. n. o., see <u>Mamestra picta</u> Harr.		
<u>Zeugophora scutellaris</u> Suffr. - - - - -	7	281
<u>Zeuzera pyrina</u> L. - - - - -	-6	241

UNIVERSITY OF FLORIDA



3 1262 09244 5161